

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/15/2022

Enalytic ID	E2209020-001
Batch Number	309062022P
Train Number	200592
Sample ID	DEF 32.5%
Date Sampled	9/8/2022
Date Received	9/13/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF Batch # 309062022P Train # 200592**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	9/15/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3827	MDC	9/14/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.05	MFB	9/15/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.12	MDC	9/14/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	9/13/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MFB	9/14/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.041	DSD	9/14/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/14/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/14/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25	DSD	9/14/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/14/2022	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	9/14/2022	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0898	SPT	9/15/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/15/2022

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/15/2022

Enalytic ID	E2209020-002
Batch Number	309082022M
Train Number	TILX265180
Sample ID	DEF 32.5%
Date Sampled	9/9/2022
Date Received	9/13/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch # **309082022M** Train # **TILX265180**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.2	SPT	9/15/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3824	MDC	9/14/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	MFB	9/15/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.11	MDC	9/14/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	9/13/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MFB	9/14/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.068	DSD	9/14/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.042	DSD	9/14/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/14/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25	DSD	9/14/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.12	DSD	9/14/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/14/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/14/2022	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	9/14/2022	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0898	SPT	9/15/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/15/2022

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/19/2022

Enalytic ID	E2209029-001
Batch Number	309142022P
Train Number	UTLX647725
Sample ID	DEF 32.5%
Date Sampled	9/14/2022
Date Received	9/15/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch # **309142022P** Train # **UTLX647725**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.3%	SPT	9/19/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3826	MDC	9/19/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.05%	MDC	9/19/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16%	MDC	9/16/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0 mg/kg	SPT	9/16/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0 mg/kg	MDC	9/16/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.030 mg/kg	DSD	9/19/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02 mg/kg	DSD	9/19/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02 mg/kg	DSD	9/19/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25 mg/kg	DSD	9/19/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05 mg/kg	DSD	9/19/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02 mg/kg	DSD	9/19/2022	Pass
Miscellaneous Secondary Unregulated Quality Standards							
Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match			---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0883	MDC	9/19/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval _____

Laboratory Director: Anthony J Scala

Date: 9/19/2022

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/27/2022

Enalytic ID	E2209046-001
Batch Number	309202022P
Train Number	UTLX647741
Sample ID	DEF 32.5%
Date Sampled	9/20/2022
Date Received	9/23/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch # **309202022P** Train # **UTLX647741**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.5	SPT	9/27/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3830	MFB	9/26/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.08	MDC	9/23/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.14	MDC	9/26/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	9/26/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MFB	9/23/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/23/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.045	DSD	9/23/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.030	DSD	9/23/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25	DSD	9/23/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.094	DSD	9/23/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/23/2022	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MFB	9/26/2022	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0923	MFB	9/23/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/27/2022

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/27/2022

Enalytic ID	E2209046-002
Batch Number	309212022P
Train Number	TILX264956
Sample ID	DEF 32.5%
Date Sampled	9/21/2022
Date Received	9/23/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch # **309212022P** Train # **TILX264956**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.6	SPT	9/27/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3831	MFB	9/26/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.09	MDC	9/23/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	MDC	9/26/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	9/26/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MFB	9/23/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.092	DSD	9/23/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.47	DSD	9/23/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.044	DSD	9/23/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/23/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.063	DSD	9/23/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/23/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25	DSD	9/23/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/23/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/23/2022	Pass

Miscellaneous Secondary Unregulated Quality Standards


Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MFB	9/26/2022	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	MFB	9/23/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/27/2022

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/29/2022

Enalytic ID	E2209052-001
Batch Number	309222022P
Train Number	TILX265582
Sample ID	DEF 32.5%
Date Sampled	9/22/2022
Date Received	9/27/2022
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch # **309222022P** Train # **TILX265582**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.4	32.2	SPT	9/28/2022	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3824	MDC	9/28/2022	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	MDC	9/27/2022	Pass
Biuret	%	22241-2 Annex E	<0.3	0.13	MDC	9/28/2022	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	9/28/2022	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MFB	9/27/2022	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.060	DSD	9/28/2022	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/28/2022	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/28/2022	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.25	DSD	9/28/2022	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	DSD	9/28/2022	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	DSD	9/28/2022	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	9/28/2022	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0893	MDC	9/28/2022	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/29/2022