

|         |                                                                  |
|---------|------------------------------------------------------------------|
| Client: | DEF Products, LLC                                                |
| Contact | Joe Servin, General Manager                                      |
| Address | 422 East Barioni Blvd<br>Imperial, CA 02251                      |
| Email   | <a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a> |
| Phone   | 760 355 7997                                                     |

|               |              |
|---------------|--------------|
| Enalytic ID   | E1812038-001 |
| Batch Number  | 312172018    |
| Train Number  | TILX265005   |
| Sample ID     | DEF 32.8     |
| Date Sampled  | 12/17/2018   |
| Date Received | 12/18/2018   |
| Report Date   | 12/21/2018   |

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.8% DEF Batch# 312172018 Train# TILX265005

| Test Parameter/Method         | Units                        | Test Method (ISO) | Acceptable Limit | Results         | Chemist | Analysis Date | Pass/Fail |
|-------------------------------|------------------------------|-------------------|------------------|-----------------|---------|---------------|-----------|
| Urea Content                  | wt%                          | 22241-2 Annex C   | 31.8-33.2        | 32.8            | SPT     | 12/21/2018    | Pass      |
| Density @ 20degC              | g/cm <sup>3</sup>            | 3675              | 1.0870-1.0930    | 1.0925          | BDK     | 12/18/2018    | Pass      |
| Refractive Index @ 20degC     | N <sub>D</sub> <sup>20</sup> | 22241-2 Annex C   | 1.3814-1.3843    | 1.3832          | BDK     | 12/18/2018    | Pass      |
| Alkalinity as NH <sub>3</sub> | %                            | 22241-2 Annex D   | <0.2             | <0.01           | BDK     | 12/19/2018    | Pass      |
| Biuret                        | %                            | 22241-2 Annex E   | <0.3             | 0.15            | CND     | 12/20/2018    | Pass      |
| Aldehyde                      | mg/kg                        | 22241-2 Annex F   | <5               | <1.0            | BDK     | 12/21/2018    | Pass      |
| Insolubles                    | mg/kg                        | 22241-2 Annex G   | <20              | 4.1             | BDK     | 12/20/2018    | Pass      |
| Phosphate                     | mg/kg                        | 22241-2 Annex H   | <0.5             | <0.25           | BDK     | 12/21/2018    | Pass      |
| Calcium by ICP-OES            | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/18/2018    | Pass      |
| Iron by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/18/2018    | Pass      |
| Copper by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/18/2018    | Pass      |
| Zinc by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/18/2018    | Pass      |
| Chromium by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.2             | 0.07            | CLB     | 12/18/2018    | Pass      |
| Nickel by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/18/2018    | Pass      |
| Aluminum by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.05            | CLB     | 12/18/2018    | Pass      |
| Magnesium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/18/2018    | Pass      |
| Sodium by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.06            | CLB     | 12/18/2018    | Pass      |
| Potassium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.21            | CLB     | 12/18/2018    | Pass      |
| Identity by FTIR (attached)   | Spectra                      | 22241-2 Annex J   | Match            | Reference Match | CND     | 12/21/2018    | Pass      |

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

**"The undersigned certifies that the value(s) reported have met the highest analytical quality control standards."**




Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Enalytic FDA Reg. Number: 02-636-0096

Date: 12/21/2018

Search results for: 12038-001  
Date: Fri Dec 21 12:58:19 2018 (GMT-05:00)  
Search algorithm: Search Expert  
Regions searched: 2600.00-450.00





|         |                                                                  |
|---------|------------------------------------------------------------------|
| Client: | DEF Products, LLC                                                |
| Contact | Joe Servin, General Manager                                      |
| Address | 422 East Barioni Blvd<br>Imperial, CA 02251                      |
| Email   | <a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a> |
| Phone   | 760 355 7997                                                     |

|               |              |
|---------------|--------------|
| Enalytic ID   | E1812046-001 |
| Batch Number  | 312192018    |
| Train Number  | GATX220535   |
| Sample ID     | DEF 32.7     |
| Date Sampled  | 12/19/2018   |
| Date Received | 12/31/2018   |
| Report Date   | 1/3/2019     |

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.7% DEF Batch# 312192018 Train# GATX220535

| Test Parameter/Method         | Units                        | Test Method (ISO) | Acceptable Limit | Results         | Chemist | Analysis Date | Pass/Fail |
|-------------------------------|------------------------------|-------------------|------------------|-----------------|---------|---------------|-----------|
| Urea Content                  | wt%                          | 22241-2 Annex C   | 31.8-33.2        | 33.0            | SPT     | 12/26/2018    | Pass      |
| Density @ 20degC              | g/cm <sup>3</sup>            | 3675              | 1.0870-1.0930    | 1.0930          | CND     | 1/3/2019      | Pass      |
| Refractive Index @ 20degC     | N <sub>D</sub> <sup>20</sup> | 22241-2 Annex C   | 1.3814-1.3843    | 1.3836          | BDK     | 12/21/2018    | Pass      |
| Alkalinity as NH <sub>3</sub> | %                            | 22241-2 Annex D   | <0.2             | <0.01           | BDK     | 12/21/2018    | Pass      |
| Biuret                        | %                            | 22241-2 Annex E   | <0.3             | 0.16            | CND     | 12/26/2018    | Pass      |
| Aldehyde                      | mg/kg                        | 22241-2 Annex F   | <5               | <1.0            | BDK     | 12/27/2018    | Pass      |
| Insolubles                    | mg/kg                        | 22241-2 Annex G   | <20              | <2.0            | BDK     | 12/26/2018    | Pass      |
| Phosphate                     | mg/kg                        | 22241-2 Annex H   | <0.5             | <0.25           | BDK     | 12/26/2018    | Pass      |
| Calcium by ICP-OES            | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/21/2018    | Pass      |
| Iron by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/21/2018    | Pass      |
| Copper by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/21/2018    | Pass      |
| Zinc by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/21/2018    | Pass      |
| Chromium by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.2             | 0.03            | CLB     | 12/21/2018    | Pass      |
| Nickel by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/21/2018    | Pass      |
| Aluminum by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/21/2018    | Pass      |
| Magnesium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/21/2018    | Pass      |
| Sodium by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/21/2018    | Pass      |
| Potassium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.07            | CLB     | 12/21/2018    | Pass      |
| Identity by FTIR (attached)   | Spectra                      | 22241-2 Annex J   | Match            | Reference Match | CND     | 12/21/2018    | Pass      |

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

**"The undersigned certifies that the value(s) reported have met the highest analytical quality control standards."**




Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Enalytic DUNS Reg. Number: 02-636-0096

Date: 1/3/2019

Search results for: e1812046-001  
Date: Fri Dec 21 13:22:35 2018 (GMT-05:00)  
Search algorithm: Search Expert  
Regions searched: 2600.00-450.00





# Chain of Custody Record

6034 Corporate Drive, East Syracuse, NY 13057  
Phone: 315.437.0255 Fax: 315.437.1209

Quote Number:

|                                                        |  |                        |  |                                                         |  |                                               |  |                      |  |                         |  |                            |  |      |  |      |  |                     |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
|--------------------------------------------------------|--|------------------------|--|---------------------------------------------------------|--|-----------------------------------------------|--|----------------------|--|-------------------------|--|----------------------------|--|------|--|------|--|---------------------|--|-----------------|--|------------------------|--|---|--|---|--|---|--|-------------------------------------------|--|-----------------------------------------|--|
| Client: DEF Products, LLC                              |  | Phone # (760) 355-7997 |  | Location (City/State): 422 E. Barton Blvd., Imperial CA |  | Project # Project Name: ISO 22241 DEF Testing |  | Quote Number:        |  |                         |  |                            |  |      |  |      |  |                     |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| Client Contact: Sharon Stegmuller                      |  |                        |  |                                                         |  |                                               |  | Number of Containers |  | Remarks                 |  |                            |  |      |  |      |  |                     |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| Sample ID                                              |  | Date                   |  | Time                                                    |  | Matrix                                        |  | Grab or Comp         |  | Lab Internal Use Only   |  | 1                          |  | 2    |  | 3    |  | 4                   |  | 5               |  | 6                      |  | 7 |  | 8 |  | 9 |  | 10                                        |  | Product Testing Certificate of Analysis |  |
| Batch # 312192018                                      |  | 12/19/2018             |  | N/A                                                     |  | Liquid                                        |  | Comp                 |  | E1812046                |  | 2                          |  | X    |  | X    |  | X                   |  | X               |  | X                      |  | X |  | X |  | X |  | 12/31/18                                  |  |                                         |  |
| Train # GATX220535                                     |  | 12/19/18               |  | N/A                                                     |  | Liquid                                        |  | Comp                 |  | 1002                    |  | 2                          |  | X    |  | X    |  | X                   |  | X               |  | X                      |  | X |  | X |  | X |  | Additional sample received (Density only) |  |                                         |  |
| PERCENT DEF 32.7%                                      |  |                        |  |                                                         |  |                                               |  |                      |  |                         |  |                            |  |      |  |      |  |                     |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| Parameter and Method                                   |  | Sample bottle:         |  | Type                                                    |  | Size                                          |  | Preservative         |  | Sampled by (Print)      |  | Company: DEF Products, LLC |  | Date |  | Time |  | Received by: (sign) |  | Name of Counter |  | UPS Next Day Air Saver |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 1 Urea Content                                         |  |                        |  | HDPE                                                    |  | 500 ml                                        |  | None                 |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 2 Refractive Index @ 20degC                            |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 3 Density @ 20degC                                     |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 4 Alkalinity (as NH3)                                  |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 5 Buret                                                |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 6 Aldehydes                                            |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 7 Insolubles                                           |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 8 Phosphate                                            |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 9 Total Metals: Al, Ca, Cr, Cu, Fe, K, Mg, Ni, Na, Zn. |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |
| 10 FTIR                                                |  |                        |  |                                                         |  |                                               |  |                      |  | Relinquished by: (sign) |  | DEF Products, LLC          |  | Date |  | Time |  | Received by: (sign) |  |                 |  |                        |  |   |  |   |  |   |  |                                           |  |                                         |  |

|         |                                                                  |
|---------|------------------------------------------------------------------|
| Client: | DEF Products, LLC                                                |
| Contact | Joe Servin, General Manager                                      |
| Address | 422 East Barioni Blvd<br>Imperial, CA 02251                      |
| Email   | <a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a> |
| Phone   | 760 355 7997                                                     |

|               |              |
|---------------|--------------|
| Enalytic ID   | E1812048-001 |
| Batch Number  | 312222018    |
| Train Number  | TILX264929   |
| Sample ID     | DEF 32.6%    |
| Date Sampled  | 12/22/2018   |
| Date Received | 12/26/2018   |
| Report Date   | 12/31/2018   |

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.6% DEF Batch# 312222018 Train# TILX264929

| Test Parameter/Method         | Units                        | Test Method (ISO) | Acceptable Limit | Results         | Chemist | Analysis Date | Pass/Fail |
|-------------------------------|------------------------------|-------------------|------------------|-----------------|---------|---------------|-----------|
| Urea Content                  | wt%                          | 22241-2 Annex C   | 31.8-33.2        | 32.5            | SPT     | 12/31/2018    | Pass      |
| Density @ 20degC              | g/cm <sup>3</sup>            | 3675              | 1.0870-1.0930    | 1.0915          | CND     | 12/28/2018    | Pass      |
| Refractive Index @ 20degC     | N <sub>D</sub> <sup>20</sup> | 22241-2 Annex C   | 1.3814-1.3843    | 1.3828          | CND     | 12/28/2018    | Pass      |
| Alkalinity as NH <sub>3</sub> | %                            | 22241-2 Annex D   | <0.2             | 0.01            | BDK     | 12/27/2018    | Pass      |
| Biuret                        | %                            | 22241-2 Annex E   | <0.3             | 0.17            | BDK     | 12/28/2018    | Pass      |
| Aldehyde                      | mg/kg                        | 22241-2 Annex F   | <5               | <1.0            | BDK     | 12/27/2018    | Pass      |
| Insolubles                    | mg/kg                        | 22241-2 Annex G   | <20              | <2.0            | BDK     | 12/28/2018    | Pass      |
| Phosphate                     | mg/kg                        | 22241-2 Annex H   | <0.5             | <0.25           | CND     | 12/31/2018    | Pass      |
| Calcium by ICP-OES            | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.10            | CLB     | 12/28/2018    | Pass      |
| Iron by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/28/2018    | Pass      |
| Copper by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | 0.04            | CLB     | 12/28/2018    | Pass      |
| Zinc by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/28/2018    | Pass      |
| Chromium by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.2             | 0.07            | CLB     | 12/28/2018    | Pass      |
| Nickel by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/28/2018    | Pass      |
| Aluminum by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/28/2018    | Pass      |
| Magnesium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/28/2018    | Pass      |
| Sodium by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.06            | CLB     | 12/28/2018    | Pass      |
| Potassium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.13            | CLB     | 12/28/2018    | Pass      |
| Identity by FTIR (attached)   | Spectra                      | 22241-2 Annex J   | Match            | Reference Match | CND     | 12/28/2018    | Pass      |

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown

**"The undersigned certifies that the value(s) reported have met the highest analytical quality control standards."**




Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Enalytic FDA Reg. Number: 02-636-0096

Date: 12/31/2018

Search results for: e1812048-001  
Date: Fri Dec 28 08:26:14 2018 (GMT-05:00)  
Search algorithm: Search Expert  
Regions searched: 2600.00-450.00







|         |                                                                  |
|---------|------------------------------------------------------------------|
| Client: | DEF Products, LLC                                                |
| Contact | Joe Servin, General Manager                                      |
| Address | 422 East Barioni Blvd<br>Imperial, CA 02251                      |
| Email   | <a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a> |
| Phone   | 760 355 7997                                                     |

|               |              |
|---------------|--------------|
| Enalytic ID   | E1812057-001 |
| Batch Number  | 312242018    |
| Train Number  | UTLX647912   |
| Sample ID     | DEF 32.7     |
| Date Sampled  | 12/24/2018   |
| Date Received | 12/28/2018   |
| Report Date   | 1/3/2019     |

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.7% DEF** Batch# **312242018** Train# **UTLX647912**

| Test Parameter/Method         | Units                        | Test Method (ISO) | Acceptable Limit | Results         | Chemist | Analysis Date | Pass/Fail |
|-------------------------------|------------------------------|-------------------|------------------|-----------------|---------|---------------|-----------|
| Urea Content                  | wt%                          | 22241-2 Annex C   | 31.8-33.2        | 33.0            | SPT     | 1/2/2019      | Pass      |
| Density @ 20degC              | g/cm <sup>3</sup>            | 3675              | 1.0870-1.0930    | 1.0925          | CND     | 12/28/2018    | Pass      |
| Refractive Index @ 20degC     | N <sub>D</sub> <sup>20</sup> | 22241-2 Annex C   | 1.3814-1.3843    | 1.3836          | CND     | 12/28/2018    | Pass      |
| Alkalinity as NH <sub>3</sub> | %                            | 22241-2 Annex D   | <0.2             | 0.01            | BDK     | 12/31/2018    | Pass      |
| Biuret                        | %                            | 22241-2 Annex E   | <0.3             | 0.18            | BDK     | 1/2/2019      | Pass      |
| Aldehyde                      | mg/kg                        | 22241-2 Annex F   | <5               | <1.0            | CND     | 1/2/2019      | Pass      |
| Insolubles                    | mg/kg                        | 22241-2 Annex G   | <20              | <2.0            | BDK     | 12/31/2018    | Pass      |
| Phosphate                     | mg/kg                        | 22241-2 Annex H   | <0.5             | <0.25           | CND     | 1/3/2019      | Pass      |
| Calcium by ICP-OES            | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.09            | CLB     | 12/31/2018    | Pass      |
| Iron by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/31/2018    | Pass      |
| Copper by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/31/2018    | Pass      |
| Zinc by ICP-OES               | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/31/2018    | Pass      |
| Chromium by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.2             | 0.05            | CLB     | 12/31/2018    | Pass      |
| Nickel by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.2             | <0.02           | CLB     | 12/31/2018    | Pass      |
| Aluminum by ICP-OES           | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.06            | CLB     | 12/31/2018    | Pass      |
| Magnesium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | <0.05           | CLB     | 12/31/2018    | Pass      |
| Sodium by ICP-OES             | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.08            | CLB     | 12/31/2018    | Pass      |
| Potassium by ICP-OES          | mg/kg                        | 22241-2 Annex I   | <0.5             | 0.25            | CLB     | 12/31/2018    | Pass      |
| Identity by FTIR (attached)   | Spectra                      | 22241-2 Annex J   | Match            | Reference Match | BDK     | 12/31/2018    | Pass      |

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

**"The undersigned certifies that the value(s) reported have met the highest analytical quality control standards."**



Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Enalytic DUNS Reg. Number: 02-636-0096

Date: 1/3/2019

Search results for: E1812057-001  
Date: Mon Dec 31 10:14:48 2018 (GMT-05:00)  
Search algorithm: Search Expert  
Regions searched: 2600.00-450.00

