

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	5/20/2021

Enalytic ID	E2105028-002
Batch Number	305132021C
Train Number	TILX265577
Sample ID	DEF 32.5%
Date Sampled	5/13/2021
Date Received	5/17/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.5% DEF Batch# 305132021C Train# TILX265577

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	5/19/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3828	MDC	5/19/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.06	MDC	5/18/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.17	ALB	5/19/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	5/19/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	7.8	ALB	5/17/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	5/19/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/19/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/19/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/19/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/19/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/19/2021	Pass
Miscellaneous Secondary Unregulated Quality Standards							
Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	5/18/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0903	ALB	5/20/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval _____

Laboratory Director: Anthony J Scala

Date: 5/20/2021

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	5/26/2021

Enalytic ID	E2105047-001
Batch Number	305182021L
Train Number	TILX265198
Sample ID	DEF 32.5%
Date Sampled	5/18/2021
Date Received	5/24/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch# **305182021L** Train# **TILX265198**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	5/25/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3827	MDC	5/25/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.04	MDC	5/24/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.11	ALB	5/25/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	5/26/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	ALB	5/25/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	5/24/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/24/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/24/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.06	PEN	5/24/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/24/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/24/2021	Pass
Miscellaneous Secondary Unregulated Quality Standards							
Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	5/25/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	ALB	5/24/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 5/26/2021

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	5/24/2021

Enalytic ID	E2105039-002
Batch Number	305172021L
Train Number	TILX265533
Sample ID	DEF 32.5%
Date Sampled	5/17/2021
Date Received	5/20/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch# **305172021L** Train# **TILX265533**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.5	SPT	5/21/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3828	MDC	5/21/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.03	MDC	5/20/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.11	ALB	5/20/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	ALB	5/21/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MDC	5/20/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	5/21/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/21/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/21/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.06	PEN	5/21/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	5/21/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	5/21/2021	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	5/20/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	ALB	5/21/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 5/21/2021

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	6/4/2021

Enalytic ID	E2106001-002
Batch Number	305252021M
Train Number	TILX265613
Sample ID	DEF 32.5%
Date Sampled	5/25/2021
Date Received	6/1/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch# **305252021M** Train# **TILX265613**


Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	6/3/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3828	MDC	6/3/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.03	MDC	6/3/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.12	ALB	6/2/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	6/2/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	10	MDC	6/2/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	6/2/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Miscellaneous Secondary Unregulated Quality Standards							
Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	6/4/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0918	ALB	6/3/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 6/4/2021

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	6/4/2021

Enalytic ID	E2106001-003
Batch Number	305272021M
Train Number	UTLX682254
Sample ID	DEF 32.5%
Date Sampled	5/27/2021
Date Received	6/1/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch# **305272021M** Train# **UTLX682254**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	6/3/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3828	MDC	6/3/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.06	MDC	6/3/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.13	ALB	6/2/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	6/2/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MDC	6/2/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	6/2/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Miscellaneous Secondary Unregulated Quality Standards							
Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	6/4/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	ALB	6/3/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval _____

Laboratory Director: Anthony J Scala

Date: 6/4/2021

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	6/4/2021

Enalytic ID	E2106001-001
Batch Number	305252021M
Train Number	GBRX711576
Sample ID	DEF 32.5%
Date Sampled	5/25/2021
Date Received	6/1/2021
ISO 17025	Certificate Number: AT-2956

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: **32.5% DEF** Batch# **305252021M** Train# **GBRX711576**

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content ³	wt%	22241-2 Annex C	31.8-33.4	32.4	SPT	6/3/2021	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3828	MDC	6/3/2021	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.04	MDC	6/3/2021	Pass
Biuret	%	22241-2 Annex E	<0.3	0.12	ALB	6/2/2021	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	6/2/2021	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.0	MDC	6/2/2021	Pass
Phosphate as P	mg/kg	22241-2 Annex I	<0.5	<0.25	PEN	6/2/2021	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.02	PEN	6/2/2021	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.05	PEN	6/2/2021	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	6/4/2021	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	ALB	6/3/2021	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through ANAB certificate #AT-2956. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval _____

Laboratory Director: Anthony J Scala

Date: 6/4/2021