

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/11/2025

Enalytic ID	E2506022-001
TRAIN #	GATX236599
TRC #	306052025L
T #	17&14
Sample ID	DEF 32.2%
Date Sampled	6/5/2025
Date Received	6/9/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.2% DEF TRAIN # GATX236599 T # 17&14 TRC # 306052025L

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	31.9	SPT	6/11/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3820	CTM	6/9/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.03	CTM	6/10/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/11/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/10/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	CTM	6/9/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/11/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0889	CTM	6/9/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/11/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/11/2025

Enalytic ID	E2506023-001
TRAIN #	GBRX716000
TRC #	306052025T
T:	13&1
Sample ID	DEF 32.8%
Date Sampled	6/6/2025
Date Received	6/9/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.8% DEF TRAIN # GBRX716000 T: 13&1 TRC # 306052025T

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.8	SPT	6/11/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3835	CTM	6/9/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.02	CTM	6/11/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/11/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/10/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	CTM	6/9/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.060	BDK	6/11/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.060	BDK	6/11/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/11/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.18	BDK	6/11/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/11/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/11/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0914	CTM	6/9/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/11/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/18/2025

Enalytic ID	E2506038-001
TRAIN #	GATX236577
TRC #	306122025M
T #	1&2
Sample ID	DEF 32.0%
Date Sampled	6/12/2025
Date Received	6/16/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.0% DEF TRAIN # GATX236577 T # 1&2 TRC # 306122025M

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.0	SPT	6/18/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3821	CTM	6/18/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.03	CTM	6/17/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.14	CTM	6/18/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/17/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	CTM	6/17/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/18/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/18/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/18/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/18/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/18/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/18/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0894	MFB	6/17/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/18/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/24/2025

Enalytic ID	E2506047-001
TRAIN #	GBRX712334
TRC #	306142025T
T #	3/7
Sample ID	DEF 32.5%
Date Sampled	6/14/2025
Date Received	6/19/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.5% DEF TRAIN # GBRX712334 T # 3/7 TRC # 306142025T

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.4	SPT	6/23/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3827	CTM	6/19/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.03	CTM	6/20/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/23/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/20/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	6/20/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/20/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/20/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/20/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/20/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/20/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/20/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0879	CTM	6/19/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/24/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/25/2025

Enalytic ID	E2506052-001
TRAIN #	GBRX712373
TRC #	306182025T
T #	11&8
Sample ID	DEF 32.1%
Date Sampled	6/18/2025
Date Received	6/23/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.1% DEF TRAIN # GBRX712373 T # 11&8 TRC # 306182025T

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.0	SPT	6/25/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3821	CTM	6/23/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.03	MFB	6/24/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/24/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/25/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	6/24/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/23/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/23/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/23/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/23/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/23/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/23/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0874	CTM	6/23/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/25/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/27/2025

Enalytic ID	E2506056-002
TRAIN #	GATX235313
TRC #	306202025T
T #	12&3
Sample ID	DEF 32.1%
Date Sampled	6/20/2025
Date Received	6/24/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.1% DEF TRAIN # GATX235313 T # 12&3 TRC # 306202025T

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	31.9	SPT	6/27/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3820	CTM	6/27/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.38	MFB	6/27/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/27/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/27/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	6/25/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.21	BDK	6/25/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/25/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0878	CTM	6/27/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/27/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	6/27/2025

Enalytic ID	E2506056-001
TRAIN #	GATX236606
TRC #	306202025T2
T #	1&2
Sample ID	DEF 32.1%
Date Sampled	6/20/2025
Date Received	6/24/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.1% DEF TRAIN # GATX236606 T # 1&2 TRC # 306202025T2

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.1	SPT	6/27/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3823	CTM	6/27/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.37	MFB	6/27/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	6/27/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	6/27/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	6/25/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	6/25/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	6/25/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	6/25/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0883	CTM	6/27/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 6/27/2025

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	<a href="mailto:defproducts@gmail.com">defproducts@gmail.com</a>
Phone	760 355 7997
Report Date	7/2/2025

Enalytic ID	E2506066-001
TRAIN #	GATX222477
TRC #	306272025P
T #	17/4
Sample ID	DEF 32.3%
Date Sampled	6/27/2025
Date Received	6/30/2025
ISO 17025	Certificate Number: L24-103

## Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.3% DEF TRAIN # GATX222477 T # 17/4 TRC # 306272025P

Test Parameter/Method	Units	Test Method (ISO) <sup>1</sup>	Acceptable Limit <sup>2</sup>	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.2	SPT	7/2/2025	Pass
Refractive Index @ 20degC	N <sub>D</sub> <sup>20</sup>	22241-2 Annex C	1.3814-1.3843	1.3824	CTM	7/1/2025	Pass
Alkalinity as NH <sub>3</sub>	%	22241-2 Annex D	<0.2	0.03	MFB	7/1/2025	Pass
Biuret	%	22241-2 Annex E	<0.3	0.15	CTM	7/1/2025	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	7/1/2025	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	6/30/2025	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	7/2/2025	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.23	BDK	7/2/2025	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	7/2/2025	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	7/2/2025	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	7/2/2025	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	7/2/2025	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	7/2/2025	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	7/2/2025	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	7/2/2025	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	7/2/2025	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	7/2/2025	Pass

### Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) <sup>3</sup>	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm <sup>3</sup>	3675	Not Applicable	1.0894	CTM	7/1/2025	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval \_\_\_\_\_

Laboratory Director: Anthony J Scala

Date: 7/2/2025